

logic

ergonomics, traditional task styling - an unbeatable value

MID-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE CASTERS PACKAGING OPTIONS

1 7 6 0 - [] [] - A [] [] - [] [] - [] [] [] - [] [] []

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LEATHER	FEATURES	DIMENSIONS	ARM OPTIONS																																																								
1760	S2	MID-BACK SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>465</td><td>515</td><td>550</td><td>600</td><td>660</td><td>725</td><td>795</td></tr> <tr><td>535</td><td>585</td><td>620</td><td>670</td><td>730</td><td>795</td><td>865</td></tr> <tr><td>540</td><td>590</td><td>625</td><td>675</td><td>735</td><td>800</td><td>870</td></tr> <tr><td>560</td><td>610</td><td>645</td><td>695</td><td>755</td><td>820</td><td>890</td></tr> <tr><td>595</td><td>645</td><td>680</td><td>730</td><td>790</td><td>855</td><td>925</td></tr> <tr><td>615</td><td>665</td><td>700</td><td>750</td><td>810</td><td>875</td><td>945</td></tr> <tr><td>565</td><td>615</td><td>650</td><td>700</td><td>760</td><td>825</td><td>895</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	465	515	550	600	660	725	795	535	585	620	670	730	795	865	540	590	625	675	735	800	870	560	610	645	695	755	820	890	595	645	680	730	790	855	925	615	665	700	750	810	875	945	565	615	650	700	760	825	895	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Upright Position Tilt Lock • Adjustable Back Depth • Rated for 250 lbs 	<p>WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-43.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.5 COM: 1.6 YDS WEIGHT: 28.5 LB</p>	<p>A1 \$70 Black soft touch loop arm</p> <p>A4 \$75 2-way adjustable arm for height</p> <p>A5 \$95 4-way adjustable arm for height and width</p>
A/COM	B	C	D	E	F	G																																																									
465	515	550	600	660	725	795																																																									
535	585	620	670	730	795	865																																																									
540	590	625	675	735	800	870																																																									
560	610	645	695	755	820	890																																																									
595	645	680	730	790	855	925																																																									
615	665	700	750	810	875	945																																																									
565	615	650	700	760	825	895																																																									
1760	R1	MID-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>515</td><td>565</td><td>600</td><td>650</td><td>710</td><td>775</td><td>845</td></tr> <tr><td>585</td><td>635</td><td>670</td><td>720</td><td>780</td><td>845</td><td>915</td></tr> <tr><td>590</td><td>640</td><td>675</td><td>725</td><td>785</td><td>850</td><td>920</td></tr> <tr><td>610</td><td>660</td><td>695</td><td>745</td><td>805</td><td>870</td><td>940</td></tr> <tr><td>645</td><td>695</td><td>730</td><td>780</td><td>840</td><td>905</td><td>975</td></tr> <tr><td>665</td><td>715</td><td>750</td><td>800</td><td>860</td><td>925</td><td>995</td></tr> <tr><td>615</td><td>665</td><td>700</td><td>750</td><td>810</td><td>875</td><td>945</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	515	565	600	650	710	775	845	585	635	670	720	780	845	915	590	640	675	725	785	850	920	610	660	695	745	805	870	940	645	695	730	780	840	905	975	665	715	750	800	860	925	995	615	665	700	750	810	875	945	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Floating Seat Position Tilt Lock • Infinite Back Angle Adj w/ Free Float • Ratchet Back Height Lumbar Adjustment • Rated for 250 lbs 	<p>WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-46.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-23.5 COM: 1.6 YDS WEIGHT: 34.0 LB</p>	<p>A6 \$130 6-way adjustable arm for height, pivots, and with <i>Ura-Soft</i> sliding arm pads</p> <p>A7 \$150 8-way adjustable arm for height, width, pivots, and with <i>Ura-Soft</i> sliding arm pads</p> <p>A16 \$100 Black Soft Touch Cantilever style C-Shaped Arm</p>
A/COM	B	C	D	E	F	G																																																									
515	565	600	650	710	775	845																																																									
585	635	670	720	780	845	915																																																									
590	640	675	725	785	850	920																																																									
610	660	695	745	805	870	940																																																									
645	695	730	780	840	905	975																																																									
665	715	750	800	860	925	995																																																									
615	665	700	750	810	875	945																																																									
1760	M1	MID-BACK MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>565</td><td>615</td><td>650</td><td>700</td><td>760</td><td>825</td><td>895</td></tr> <tr><td>635</td><td>685</td><td>720</td><td>770</td><td>830</td><td>895</td><td>965</td></tr> <tr><td>640</td><td>690</td><td>725</td><td>775</td><td>835</td><td>900</td><td>970</td></tr> <tr><td>660</td><td>710</td><td>745</td><td>795</td><td>855</td><td>920</td><td>990</td></tr> <tr><td>695</td><td>745</td><td>780</td><td>830</td><td>890</td><td>955</td><td>1025</td></tr> <tr><td>715</td><td>765</td><td>800</td><td>850</td><td>910</td><td>975</td><td>1045</td></tr> <tr><td>665</td><td>715</td><td>750</td><td>800</td><td>860</td><td>925</td><td>995</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	565	615	650	700	760	825	895	635	685	720	770	830	895	965	640	690	725	775	835	900	970	660	710	745	795	855	920	990	695	745	780	830	890	955	1025	715	765	800	850	910	975	1045	665	715	750	800	860	925	995	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Floating Seat Position Tilt Lock • Infinite Back Angle Adj w/ Free Float • Seat Pivots from 0° to 6° Forward • Ratchet Back Height Lumbar Adjustment • Rated for 250 lbs 	<p>WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-46.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-23.5 COM: 1.6 YDS WEIGHT: 37.5 LB</p>	<p>C1 STD 50mm Hooded Casters</p> <p>C1S \$35 50mm Hooded Hard Floor Casters</p> <p>C2S \$35 50mm Hooded Self-Locking Hard Floor Casters</p>
A/COM	B	C	D	E	F	G																																																									
565	615	650	700	760	825	895																																																									
635	685	720	770	830	895	965																																																									
640	690	725	775	835	900	970																																																									
660	710	745	795	855	920	990																																																									
695	745	780	830	890	955	1025																																																									
715	765	800	850	910	975	1045																																																									
665	715	750	800	860	925	995																																																									
1760	Y2	MID-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>545</td><td>595</td><td>630</td><td>680</td><td>740</td><td>805</td><td>875</td></tr> <tr><td>615</td><td>665</td><td>700</td><td>750</td><td>810</td><td>875</td><td>945</td></tr> <tr><td>620</td><td>670</td><td>705</td><td>755</td><td>815</td><td>880</td><td>950</td></tr> <tr><td>640</td><td>690</td><td>725</td><td>775</td><td>835</td><td>900</td><td>970</td></tr> <tr><td>675</td><td>725</td><td>760</td><td>810</td><td>870</td><td>935</td><td>1005</td></tr> <tr><td>695</td><td>745</td><td>780</td><td>830</td><td>890</td><td>955</td><td>1025</td></tr> <tr><td>645</td><td>695</td><td>730</td><td>780</td><td>840</td><td>905</td><td>975</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	545	595	630	680	740	805	875	615	665	700	750	810	875	945	620	670	705	755	815	880	950	640	690	725	775	835	900	970	675	725	760	810	870	935	1005	695	745	780	830	890	955	1025	645	695	730	780	840	905	975	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Side Tilt Tension Control • Back and Seat Tilt in 2:1 ratio • 4 Locking Positions • Safety Tilt Release • Ratchet Back Height Lumbar Adjustment • Rated for 300 lbs 	<p>WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 37.5-45.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5-21.5 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-22.0 COM: 1.6 YDS WEIGHT: 41.0 LB</p>	<p>BT \$15 Replace Knob with Bolt (for S2 Controls ONLY)</p> <p>MF1 \$50 EF1 - 1" extra foam on seat</p> <p>EP \$60 Edge Protector - a clear vinyl tube placed around the edge of the back cushion</p> <p>SS \$60 Seat Slider 2.5" Side Paddle Activated</p> <p>BN1 \$35 BN2 \$N/C Upholstered Outer Back in Black Ballistic Nylon</p> <p>HD \$125 Heavy Duty Multi-Shift Upgrade 350 lb. Includes BA2 aluminum base and C4 60mm casters; available with M1 and Y2 configurations only</p>
A/COM	B	C	D	E	F	G																																																									
545	595	630	680	740	805	875																																																									
615	665	700	750	810	875	945																																																									
620	670	705	755	815	880	950																																																									
640	690	725	775	835	900	970																																																									
675	725	760	810	870	935	1005																																																									
695	745	780	830	890	955	1025																																																									
645	695	730	780	840	905	975																																																									

logic

ergonomics, traditional task styling - an unbeatable value

STOOL

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1
- Warranted up to 250 lbs with P1
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE CASTERS PACKAGING OPTIONS

1 7 6 - P 1 - A - - - C - - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LEATHER	FEATURES	DIMENSIONS	ARM OPTIONS																																																																																																																								
1766	P1	10" STOOL POSTURE BACK CONTROL Use for work surfaces up to 42 inches high.	<table border="1"> <thead> <tr> <th>ARMLESS</th> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr> <td>A1</td> <td>630</td> <td>680</td> <td>715</td> <td>765</td> <td>825</td> <td>890</td> <td>960</td> </tr> <tr> <td>A4</td> <td>700</td> <td>750</td> <td>785</td> <td>835</td> <td>895</td> <td>960</td> <td>1030</td> </tr> <tr> <td>A5</td> <td>705</td> <td>755</td> <td>790</td> <td>840</td> <td>900</td> <td>965</td> <td>1035</td> </tr> <tr> <td>A6</td> <td>725</td> <td>775</td> <td>810</td> <td>860</td> <td>920</td> <td>985</td> <td>1055</td> </tr> <tr> <td>A7</td> <td>760</td> <td>810</td> <td>845</td> <td>895</td> <td>955</td> <td>1020</td> <td>1090</td> </tr> <tr> <td>A16</td> <td>780</td> <td>830</td> <td>865</td> <td>915</td> <td>975</td> <td>1040</td> <td>1110</td> </tr> <tr> <td>A16</td> <td>730</td> <td>780</td> <td>815</td> <td>865</td> <td>925</td> <td>990</td> <td>1060</td> </tr> </tbody> </table>	ARMLESS	A/COM	B	C	D	E	F	G	A1	630	680	715	765	825	890	960	A4	700	750	785	835	895	960	1030	A5	705	755	790	840	900	965	1035	A6	725	775	810	860	920	985	1055	A7	760	810	845	895	955	1020	1090	A16	780	830	865	915	975	1040	1110	A16	730	780	815	865	925	990	1060	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr> <td>630</td> <td>680</td> <td>715</td> <td>765</td> <td>825</td> <td>890</td> <td>960</td> </tr> <tr> <td>700</td> <td>750</td> <td>785</td> <td>835</td> <td>895</td> <td>960</td> <td>1030</td> </tr> <tr> <td>705</td> <td>755</td> <td>790</td> <td>840</td> <td>900</td> <td>965</td> <td>1035</td> </tr> <tr> <td>725</td> <td>775</td> <td>810</td> <td>860</td> <td>920</td> <td>985</td> <td>1055</td> </tr> <tr> <td>760</td> <td>810</td> <td>845</td> <td>895</td> <td>955</td> <td>1020</td> <td>1090</td> </tr> <tr> <td>780</td> <td>830</td> <td>865</td> <td>915</td> <td>975</td> <td>1040</td> <td>1110</td> </tr> <tr> <td>730</td> <td>780</td> <td>815</td> <td>865</td> <td>925</td> <td>990</td> <td>1060</td> </tr> </tbody> </table>	A/COM	B	C	D	E	F	G	630	680	715	765	825	890	960	700	750	785	835	895	960	1030	705	755	790	840	900	965	1035	725	775	810	860	920	985	1055	760	810	845	895	955	1020	1090	780	830	865	915	975	1040	1110	730	780	815	865	925	990	1060	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Infinite back angle adjust with free float • Ratchet Back Height Lumbar Adjustment • Height Adjustable Footring • Rated for 250 lbs 	<p>WIDTH: 26.5</p> <p>DEPTH: 26.0</p> <p>HEIGHT: 46.5-59.5</p> <p>SEAT WIDTH: 22.0</p> <p>SEAT DEPTH: 18.5</p> <p>SEAT HEIGHT: 24.5-34.5</p> <p>BACK WIDTH: 20.0</p> <p>BACK HEIGHT: 20.5-23.5</p> <p>COM: 1.6 YDS</p> <p>WEIGHT: 43.5 LB</p>	<p>A1 \$70</p> <p>Black soft touch loop arm</p> <p>A4 \$75</p> <p>2-way adjustable arm for height</p> <p>A5 \$95</p> <p>4-way adjustable arm for height and width</p>
ARMLESS	A/COM	B	C	D	E	F	G																																																																																																																								
A1	630	680	715	765	825	890	960																																																																																																																								
A4	700	750	785	835	895	960	1030																																																																																																																								
A5	705	755	790	840	900	965	1035																																																																																																																								
A6	725	775	810	860	920	985	1055																																																																																																																								
A7	760	810	845	895	955	1020	1090																																																																																																																								
A16	780	830	865	915	975	1040	1110																																																																																																																								
A16	730	780	815	865	925	990	1060																																																																																																																								
A/COM	B	C	D	E	F	G																																																																																																																									
630	680	715	765	825	890	960																																																																																																																									
700	750	785	835	895	960	1030																																																																																																																									
705	755	790	840	900	965	1035																																																																																																																									
725	775	810	860	920	985	1055																																																																																																																									
760	810	845	895	955	1020	1090																																																																																																																									
780	830	865	915	975	1040	1110																																																																																																																									
730	780	815	865	925	990	1060																																																																																																																									
1768	P1	8" STOOL POSTURE BACK CONTROL Use for work surfaces up to 36 inches high.	<table border="1"> <thead> <tr> <th>ARMLESS</th> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr> <td>A1</td> <td>630</td> <td>680</td> <td>715</td> <td>765</td> <td>825</td> <td>890</td> <td>960</td> </tr> <tr> <td>A4</td> <td>700</td> <td>750</td> <td>785</td> <td>835</td> <td>895</td> <td>960</td> <td>1030</td> </tr> <tr> <td>A5</td> <td>705</td> <td>755</td> <td>790</td> <td>840</td> <td>900</td> <td>965</td> <td>1035</td> </tr> <tr> <td>A6</td> <td>725</td> <td>775</td> <td>810</td> <td>860</td> <td>920</td> <td>985</td> <td>1055</td> </tr> <tr> <td>A7</td> <td>760</td> <td>810</td> <td>845</td> <td>895</td> <td>955</td> <td>1020</td> <td>1090</td> </tr> <tr> <td>A16</td> <td>780</td> <td>830</td> <td>865</td> <td>915</td> <td>975</td> <td>1040</td> <td>1110</td> </tr> <tr> <td>A16</td> <td>730</td> <td>780</td> <td>815</td> <td>865</td> <td>925</td> <td>990</td> <td>1060</td> </tr> </tbody> </table>	ARMLESS	A/COM	B	C	D	E	F	G	A1	630	680	715	765	825	890	960	A4	700	750	785	835	895	960	1030	A5	705	755	790	840	900	965	1035	A6	725	775	810	860	920	985	1055	A7	760	810	845	895	955	1020	1090	A16	780	830	865	915	975	1040	1110	A16	730	780	815	865	925	990	1060	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr> <td>630</td> <td>680</td> <td>715</td> <td>765</td> <td>825</td> <td>890</td> <td>960</td> </tr> <tr> <td>700</td> <td>750</td> <td>785</td> <td>835</td> <td>895</td> <td>960</td> <td>1030</td> </tr> <tr> <td>705</td> <td>755</td> <td>790</td> <td>840</td> <td>900</td> <td>965</td> <td>1035</td> </tr> <tr> <td>725</td> <td>775</td> <td>810</td> <td>860</td> <td>920</td> <td>985</td> <td>1055</td> </tr> <tr> <td>760</td> <td>810</td> <td>845</td> <td>895</td> <td>955</td> <td>1020</td> <td>1090</td> </tr> <tr> <td>780</td> <td>830</td> <td>865</td> <td>915</td> <td>975</td> <td>1040</td> <td>1110</td> </tr> <tr> <td>730</td> <td>780</td> <td>815</td> <td>865</td> <td>925</td> <td>990</td> <td>1060</td> </tr> </tbody> </table>	A/COM	B	C	D	E	F	G	630	680	715	765	825	890	960	700	750	785	835	895	960	1030	705	755	790	840	900	965	1035	725	775	810	860	920	985	1055	760	810	845	895	955	1020	1090	780	830	865	915	975	1040	1110	730	780	815	865	925	990	1060	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Infinite back angle adjust with free float • Ratchet Back Height Lumbar Adjustment • Height Adjustable Footring • Rated for 250 lbs 	<p>WIDTH: 26.5</p> <p>DEPTH: 26.0</p> <p>HEIGHT: 43.5-54.5</p> <p>SEAT WIDTH: 22.0</p> <p>SEAT DEPTH: 18.5</p> <p>SEAT HEIGHT: 21.5-29.5</p> <p>BACK WIDTH: 20.0</p> <p>BACK HEIGHT: 20.5-23.5</p> <p>COM: 1.6 YDS</p> <p>WEIGHT: 42.5 LB</p>	<p>A6 \$130</p> <p>6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads</p> <p>A7 \$150</p> <p>8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads</p> <p>A16 \$100</p> <p>Black Soft Touch Cantilever style C-Shaped Arm</p>
ARMLESS	A/COM	B	C	D	E	F	G																																																																																																																								
A1	630	680	715	765	825	890	960																																																																																																																								
A4	700	750	785	835	895	960	1030																																																																																																																								
A5	705	755	790	840	900	965	1035																																																																																																																								
A6	725	775	810	860	920	985	1055																																																																																																																								
A7	760	810	845	895	955	1020	1090																																																																																																																								
A16	780	830	865	915	975	1040	1110																																																																																																																								
A16	730	780	815	865	925	990	1060																																																																																																																								
A/COM	B	C	D	E	F	G																																																																																																																									
630	680	715	765	825	890	960																																																																																																																									
700	750	785	835	895	960	1030																																																																																																																									
705	755	790	840	900	965	1035																																																																																																																									
725	775	810	860	920	985	1055																																																																																																																									
760	810	845	895	955	1020	1090																																																																																																																									
780	830	865	915	975	1040	1110																																																																																																																									
730	780	815	865	925	990	1060																																																																																																																									
							<p>C1 \$70</p> <p>50mm Hooded Casters</p> <p>C1S \$35</p> <p>50mm Hooded Hard Floor Casters</p> <p>C2S \$35</p> <p>50mm Hooded Self-Locking Hard Floor Casters</p>																																																																																																																								
							<p>BN1 \$35</p> <p>BN2 \$N/C</p> <p>Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up</p> <p>BNBP1 \$90</p> <p>Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface</p> <p>BNBP2 \$180</p> <p>Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat</p> <p>EP \$60</p> <p>Edge Protector - a clear vinyl tube placed around the edge of the back cushion</p> <p>MF1 \$50</p> <p>EF1 \$30</p> <p>EF1 - 1" extra foam on seat MF1 - 1" Visco elastic memory foam on seat</p>																																																																																																																								

logic

ergonomics, traditional task styling - an unbeatable value

HIGH-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE CASTERS PACKAGING OPTIONS

1 7 8 0 - [] - A [] - [] - C [] - [] - [] - []

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LEATHER	FEATURES	DIMENSIONS	ARM OPTIONS																																																								
1780	S2	HIGH-BACK SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>515</td><td>575</td><td>615</td><td>675</td><td>745</td><td>820</td><td>905</td></tr> <tr><td>585</td><td>645</td><td>685</td><td>745</td><td>815</td><td>890</td><td>975</td></tr> <tr><td>590</td><td>650</td><td>690</td><td>750</td><td>820</td><td>895</td><td>980</td></tr> <tr><td>610</td><td>670</td><td>710</td><td>770</td><td>840</td><td>915</td><td>1000</td></tr> <tr><td>645</td><td>705</td><td>745</td><td>805</td><td>875</td><td>950</td><td>1035</td></tr> <tr><td>665</td><td>725</td><td>765</td><td>825</td><td>895</td><td>970</td><td>1055</td></tr> <tr><td>615</td><td>675</td><td>715</td><td>775</td><td>845</td><td>920</td><td>1005</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	515	575	615	675	745	820	905	585	645	685	745	815	890	975	590	650	690	750	820	895	980	610	670	710	770	840	915	1000	645	705	745	805	875	950	1035	665	725	765	825	895	970	1055	615	675	715	775	845	920	1005	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Upright Position Tilt Lock • Adjustable Back Depth • Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 42.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0 COM: 1.9 YDS WEIGHT: 36.0 LB	A1 \$70 A4 \$75 A5 \$95
A/COM	B	C	D	E	F	G																																																									
515	575	615	675	745	820	905																																																									
585	645	685	745	815	890	975																																																									
590	650	690	750	820	895	980																																																									
610	670	710	770	840	915	1000																																																									
645	705	745	805	875	950	1035																																																									
665	725	765	825	895	970	1055																																																									
615	675	715	775	845	920	1005																																																									
1780	R1	HIGH-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>565</td><td>625</td><td>665</td><td>725</td><td>795</td><td>870</td><td>955</td></tr> <tr><td>635</td><td>695</td><td>735</td><td>795</td><td>865</td><td>940</td><td>1025</td></tr> <tr><td>640</td><td>700</td><td>740</td><td>800</td><td>870</td><td>945</td><td>1030</td></tr> <tr><td>660</td><td>720</td><td>760</td><td>820</td><td>890</td><td>965</td><td>1050</td></tr> <tr><td>695</td><td>755</td><td>795</td><td>855</td><td>925</td><td>1000</td><td>1085</td></tr> <tr><td>715</td><td>775</td><td>815</td><td>875</td><td>945</td><td>1020</td><td>1105</td></tr> <tr><td>665</td><td>725</td><td>765</td><td>825</td><td>895</td><td>970</td><td>1055</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	565	625	665	725	795	870	955	635	695	735	795	865	940	1025	640	700	740	800	870	945	1030	660	720	760	820	890	965	1050	695	755	795	855	925	1000	1085	715	775	815	875	945	1020	1105	665	725	765	825	895	970	1055	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Floating Seat Position Tilt Lock • Infinite Back Angle Adj w/ Free Float • Ratchet Back Height Lumbar Adjustment • Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WEIGHT: 41.0 LB	A6 \$130 A7 \$150 A16 \$100
A/COM	B	C	D	E	F	G																																																									
565	625	665	725	795	870	955																																																									
635	695	735	795	865	940	1025																																																									
640	700	740	800	870	945	1030																																																									
660	720	760	820	890	965	1050																																																									
695	755	795	855	925	1000	1085																																																									
715	775	815	875	945	1020	1105																																																									
665	725	765	825	895	970	1055																																																									
1780	M1	HIGH-BACK MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>615</td><td>675</td><td>715</td><td>775</td><td>845</td><td>920</td><td>1005</td></tr> <tr><td>685</td><td>745</td><td>785</td><td>845</td><td>915</td><td>990</td><td>1075</td></tr> <tr><td>690</td><td>750</td><td>790</td><td>850</td><td>920</td><td>995</td><td>1080</td></tr> <tr><td>710</td><td>770</td><td>810</td><td>870</td><td>940</td><td>1015</td><td>1100</td></tr> <tr><td>745</td><td>805</td><td>845</td><td>905</td><td>975</td><td>1050</td><td>1135</td></tr> <tr><td>765</td><td>825</td><td>865</td><td>925</td><td>995</td><td>1070</td><td>1155</td></tr> <tr><td>715</td><td>775</td><td>815</td><td>875</td><td>945</td><td>1020</td><td>1105</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	615	675	715	775	845	920	1005	685	745	785	845	915	990	1075	690	750	790	850	920	995	1080	710	770	810	870	940	1015	1100	745	805	845	905	975	1050	1135	765	825	865	925	995	1070	1155	715	775	815	875	945	1020	1105	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Floating Seat Position Tilt Lock • Infinite Back Angle Adj w/ Free Float • Seat Pivots from 0° to 6° Forward • Ratchet Back Height Lumbar Adjustment • Rated for 300 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WEIGHT: 45.0 LB	C1 STD C1S \$35 C2S \$35
A/COM	B	C	D	E	F	G																																																									
615	675	715	775	845	920	1005																																																									
685	745	785	845	915	990	1075																																																									
690	750	790	850	920	995	1080																																																									
710	770	810	870	940	1015	1100																																																									
745	805	845	905	975	1050	1135																																																									
765	825	865	925	995	1070	1155																																																									
715	775	815	875	945	1020	1105																																																									
1780	Y2	HIGH-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A1 A4 A5 A6 A7 A16	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>595</td><td>655</td><td>695</td><td>755</td><td>825</td><td>900</td><td>985</td></tr> <tr><td>665</td><td>725</td><td>765</td><td>825</td><td>895</td><td>970</td><td>1055</td></tr> <tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td></tr> <tr><td>690</td><td>750</td><td>790</td><td>850</td><td>920</td><td>995</td><td>1080</td></tr> <tr><td>725</td><td>785</td><td>825</td><td>885</td><td>955</td><td>1030</td><td>1115</td></tr> <tr><td>745</td><td>805</td><td>845</td><td>905</td><td>975</td><td>1050</td><td>1135</td></tr> <tr><td>695</td><td>755</td><td>795</td><td>855</td><td>925</td><td>1000</td><td>1085</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	595	655	695	755	825	900	985	665	725	765	825	895	970	1055	670	730	770	830	900	975	1060	690	750	790	850	920	995	1080	725	785	825	885	955	1030	1115	745	805	845	905	975	1050	1135	695	755	795	855	925	1000	1085	<ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Side Tilt Tension Control • Back and Seat Tilt in 2:1 ratio • 4 Locking Positions • Safety Tilt Release • Ratchet Back Height Lumbar Adjustment • Rated for 300 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 40.5-48.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 22.5-25.5 COM: 1.9 YDS WEIGHT: 43.0 LB	SS \$60 EP \$60 MF1 \$50 EF1 \$30 BT \$15 BN1 \$35 BN2 \$N/C HD \$125
A/COM	B	C	D	E	F	G																																																									
595	655	695	755	825	900	985																																																									
665	725	765	825	895	970	1055																																																									
670	730	770	830	900	975	1060																																																									
690	750	790	850	920	995	1080																																																									
725	785	825	885	955	1030	1115																																																									
745	805	845	905	975	1050	1135																																																									
695	755	795	855	925	1000	1085																																																									