

precept

breadth of configurations with an unparalleled value

LOW-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with B2, S2, R1, and P1
- Warranted up to 300 lbs with M1 and Y2
- CAL TB 133 Fire Code approved



CREATING PRECEPT MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE CASTERS PACKAGING OPTIONS

1 7 2 5 - - A - - - C 1 - - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------------|---------------|
| AB | ASSEMBLED IN BAG FOR WILL CALL | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | ARM OPTIONS |
|-------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1725 | B2 | LOW-BACK BASIC CONTROL Our basic control has simple adjustments. Ideal for clerical, casual meetings, and general office use. | ARMLESS A1 A4 A5 A6 A7 A16 | A/COM B C D E F G 360 400 425 465 515 570 630 530 570 595 635 685 740 800 435 475 500 540 590 645 705 455 495 520 560 610 665 725 490 530 555 595 645 700 760 510 550 575 615 665 720 780 460 500 525 565 615 670 730 | <ul style="list-style-type: none"> • 360 degree swivel • Pneumatic Seat Height Adjustment • Adjustable back depth • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-39.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5 COM: 1.4 YDS WEIGHT: 28.0 LB | A1 \$70 Black soft touch loop arm A4 \$75 2-way adjustable arm for height A5 \$95 4-way adjustable arm for height and width A6 \$130 6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads A7 \$150 8-way adjustable arm for height, width, pivots, and with Ura-Soft sliding arm pads A16 \$100 Black Soft Touch Cantilever style C-Shaped Arm |
| 1725 | S2 | LOW-BACK SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating. | ARMLESS A1 A4 A5 A6 A7 A16 | A/COM B C D E F G 405 445 470 510 560 615 675 575 615 640 680 730 785 845 480 520 545 585 635 690 750 500 540 565 605 655 710 770 535 575 600 640 690 745 805 555 595 620 660 710 765 825 505 545 570 610 660 715 775 | <ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Upright Position Tilt Lock • Adjustable back depth • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-39.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5 COM: 1.4 YDS WEIGHT: 31.0 LB | C1 STD 50mm Hooded Casters C1S \$35 50mm Hooded Hard Floor Casters C2S \$35 50mm Hooded Self-Locking Hard Floor Casters |
| 1725 | P1 | LOW-BACK POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. | ARMLESS A1 A4 A5 A6 A7 A16 | A/COM B C D E F G 445 485 510 550 600 655 715 615 655 680 720 770 825 885 520 560 585 625 675 730 790 540 580 605 645 695 750 810 575 615 640 680 730 785 845 595 635 660 700 750 805 865 545 585 610 650 700 755 815 | <ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Infinite back angle adjust with free float • Ratchet Back Height Lumbar Adjustment • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5 COM: 1.4 YDS WEIGHT: 33.0 LB | BT \$15 Replace Knob with Bolt (for S2 Controls ONLY) EF1 \$30 1" extra foam on seat MF1 \$50 1" Visco elastic memory foam on seat |
| 1725 | R1 | LOW-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment. | ARMLESS A1 A4 A5 A6 A7 A16 | A/COM B C D E F G 455 495 520 560 610 665 725 625 665 690 730 780 835 895 530 570 595 635 685 740 800 550 590 615 655 705 760 820 585 625 650 690 740 795 855 605 645 670 710 760 815 875 555 595 620 660 710 765 825 | <ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Floating Seat Position Tilt Lock • Infinite Back Angle Adj w/ Free Float • Ratchet Back Height Lumbar Adjustment • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5 COM: 1.4 YDS WEIGHT: 35.0 LB | SS \$60 Seat Slider 2.5" Side Paddle Activated BN1 \$35 BN2 \$N/C Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up EP \$60 Edge Protector - a clear vinyl tube placed around the edge of the back cushion |

precept

breadth of configurations with an unparalleled value

LOW-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with B2, S2, R1, and P1
- Warranted up to 300 lbs with M1 and Y2
- CAL TB 133 Fire Code approved



CREATING PRECEPT MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE CASTERS PACKAGING OPTIONS

1 7 2 5 - [] [] - A [] [] - [] [] [] - [] [] [] - [] [] []

* FOR ARMLESS CODE USE A00 * GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------------|---------------|
| AB | ASSEMBLED IN BAG FOR WILL CALL | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | ARM OPTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1725 | M1 | LOW-BACK MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees. | ARMLESS A1 A4 A5 A6 A7 A16 | <table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>505</td><td>545</td><td>570</td><td>610</td><td>660</td><td>715</td><td>775</td></tr> <tr><td>675</td><td>715</td><td>740</td><td>780</td><td>830</td><td>885</td><td>945</td></tr> <tr><td>580</td><td>620</td><td>645</td><td>685</td><td>735</td><td>790</td><td>850</td></tr> <tr><td>600</td><td>640</td><td>665</td><td>705</td><td>755</td><td>810</td><td>870</td></tr> <tr><td>635</td><td>675</td><td>700</td><td>740</td><td>790</td><td>845</td><td>905</td></tr> <tr><td>655</td><td>695</td><td>720</td><td>760</td><td>810</td><td>865</td><td>925</td></tr> <tr><td>605</td><td>645</td><td>670</td><td>710</td><td>760</td><td>815</td><td>875</td></tr> </tbody> </table> | A/COM | B | C | D | E | F | G | 505 | 545 | 570 | 610 | 660 | 715 | 775 | 675 | 715 | 740 | 780 | 830 | 885 | 945 | 580 | 620 | 645 | 685 | 735 | 790 | 850 | 600 | 640 | 665 | 705 | 755 | 810 | 870 | 635 | 675 | 700 | 740 | 790 | 845 | 905 | 655 | 695 | 720 | 760 | 810 | 865 | 925 | 605 | 645 | 670 | 710 | 760 | 815 | 875 | <ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Tilt Tension Control • Seat and Back Tilt as a Unit • Floating Seat Position Tilt Lock • Infinite Back Angle Adj w/ Free Float • Seat Pivots from 0° to 6° Forward Adjustment • Rated for 300 lbs | <p>WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5 COM: 1.4 YDS WEIGHT: 39.0 LB</p> | <p>A1 \$70 Black soft touch loop arm</p> <p>A4 \$75 2-way adjustable arm for height</p> <p>A5 \$95 4-way adjustable arm for height and width</p> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 545 | 570 | 610 | 660 | 715 | 775 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 715 | 740 | 780 | 830 | 885 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 640 | 665 | 705 | 755 | 810 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 645 | 670 | 710 | 760 | 815 | 875 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1725 | Y2-SS | LOW-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating. | ARMLESS A1 A4 A5 A6 A7 A16 | <table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>545</td><td>585</td><td>610</td><td>650</td><td>700</td><td>755</td><td>815</td></tr> <tr><td>715</td><td>755</td><td>780</td><td>820</td><td>870</td><td>925</td><td>985</td></tr> <tr><td>620</td><td>660</td><td>685</td><td>725</td><td>775</td><td>830</td><td>890</td></tr> <tr><td>640</td><td>680</td><td>705</td><td>745</td><td>795</td><td>850</td><td>910</td></tr> <tr><td>675</td><td>715</td><td>740</td><td>780</td><td>830</td><td>885</td><td>945</td></tr> <tr><td>695</td><td>735</td><td>760</td><td>800</td><td>850</td><td>905</td><td>965</td></tr> <tr><td>645</td><td>685</td><td>710</td><td>750</td><td>800</td><td>855</td><td>915</td></tr> </tbody> </table> | A/COM | B | C | D | E | F | G | 545 | 585 | 610 | 650 | 700 | 755 | 815 | 715 | 755 | 780 | 820 | 870 | 925 | 985 | 620 | 660 | 685 | 725 | 775 | 830 | 890 | 640 | 680 | 705 | 745 | 795 | 850 | 910 | 675 | 715 | 740 | 780 | 830 | 885 | 945 | 695 | 735 | 760 | 800 | 850 | 905 | 965 | 645 | 685 | 710 | 750 | 800 | 855 | 915 | <ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Side Tilt Tension Control • Back and Seat Tilt in 2:1 ratio • 4 Locking Positions • Safety Tilt Release • Ratchet Back Height Lumbar Adjustment • SS Seat Slider standard • Rated for 300 lbs | <p>WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 33.5-41.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0-19.5 SEAT HEIGHT: 19.0-23.5 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5 COM: 1.4 YDS WEIGHT: 41.0 LB</p> | <p>A6 \$130 6-way adjustable arm for height, pivots, and with <i>Ura-Soft</i> sliding arm pads</p> <p>A7 \$150 8-way adjustable arm for height, width, pivots, and with <i>Ura-Soft</i> sliding arm pads</p> <p>A16 \$100 Black Soft Touch Cantilever style C-Shaped Arm</p> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 545 | 585 | 610 | 650 | 700 | 755 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 755 | 780 | 820 | 870 | 925 | 985 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 660 | 685 | 725 | 775 | 830 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 640 | 680 | 705 | 745 | 795 | 850 | 910 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 715 | 740 | 780 | 830 | 885 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 735 | 760 | 800 | 850 | 905 | 965 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | SEAT SLIDER (SS) - STANDARD WITH THIS CONFIGURATION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1725 | GT | GUEST Well suited for guest seating. | ARMLESS A1 | <table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>340</td><td>380</td><td>405</td><td>445</td><td>495</td><td>550</td><td>610</td></tr> <tr><td>410</td><td>550</td><td>575</td><td>615</td><td>665</td><td>720</td><td>780</td></tr> </tbody> </table> | A/COM | B | C | D | E | F | G | 340 | 380 | 405 | 445 | 495 | 550 | 610 | 410 | 550 | 575 | 615 | 665 | 720 | 780 | <ul style="list-style-type: none"> • Cantilever base design • Rated for 250 lbs • Black Powder-Coated Frame | <p>WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5 COM: 1.4 YDS WEIGHT: 38.0 LB</p> | <p>BT \$15 Replace Knob with Bolt (for S2 Controls ONLY)</p> <p>EF1 \$30 1" extra foam on seat</p> <p>MF1 \$50 1" Visco elastic memory foam on seat</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 340 | 380 | 405 | 445 | 495 | 550 | 610 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 410 | 550 | 575 | 615 | 665 | 720 | 780 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | SHIPS PARTIALLY ASSEMBLED PAC OR AB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | <p>SS \$60 Seat Slider 2.5" Side Paddle Activated</p> <p>BN1 \$35 BN2 \$N/C Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up</p> <p>EP \$60 Edge Protector - a clear vinyl tube placed around the edge of the back cushion</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

precept

breadth of configurations with an unparalleled value

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1,
- Warranted up to 250 lbs with B2, and P1
- CAL TB 133 Fire Code approved



CREATING PRECEPT MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE CASTERS PACKAGING OPTIONS

1 7 2 - - A - - C 1 - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------------|---------------|
| AB | ASSEMBLED IN BAG FOR WILL CALL | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

STOOL

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | ARM OPTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|-------------|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| 1726 | B2 | 10" STOOL BASIC CONTROL Use for work surfaces up to 42 inches high. | ARMLESS | <table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>485</td><td>525</td><td>550</td><td>590</td><td>640</td><td>695</td><td>755</td></tr> <tr><td>655</td><td>695</td><td>720</td><td>760</td><td>810</td><td>865</td><td>925</td></tr> <tr><td>560</td><td>600</td><td>625</td><td>665</td><td>715</td><td>770</td><td>830</td></tr> <tr><td>580</td><td>620</td><td>645</td><td>685</td><td>735</td><td>790</td><td>850</td></tr> <tr><td>615</td><td>655</td><td>680</td><td>720</td><td>770</td><td>825</td><td>885</td></tr> <tr><td>635</td><td>675</td><td>700</td><td>740</td><td>790</td><td>845</td><td>905</td></tr> <tr><td>585</td><td>625</td><td>650</td><td>690</td><td>740</td><td>795</td><td>855</td></tr> </tbody> </table> | A/COM | B | C | D | E | F | G | 485 | 525 | 550 | 590 | 640 | 695 | 755 | 655 | 695 | 720 | 760 | 810 | 865 | 925 | 560 | 600 | 625 | 665 | 715 | 770 | 830 | 580 | 620 | 645 | 685 | 735 | 790 | 850 | 615 | 655 | 680 | 720 | 770 | 825 | 885 | 635 | 675 | 700 | 740 | 790 | 845 | 905 | 585 | 625 | 650 | 690 | 740 | 795 | 855 | <ul style="list-style-type: none"> • 360 degree swivel • Pneumatic Seat Height Adjustment • Adjustable back depth • Height Adjustable Footring • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 42.5-52.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 25.0-35.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5 COM: 1.4 YDS WEIGHT: 32.0 LB | A1 \$70 A4 \$75 A5 \$95 |
| A/COM | B | | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 525 | 550 | 590 | 640 | 695 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 600 | 625 | 665 | 715 | 770 | 830 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 655 | 680 | 720 | 770 | 825 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 625 | 650 | 690 | 740 | 795 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1726 | P1 | 10" STOOL POSTURE BACK CONTROL Use for work surfaces up to 42 inches high. | ARMLESS | <table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>570</td><td>610</td><td>635</td><td>675</td><td>725</td><td>780</td><td>840</td></tr> <tr><td>740</td><td>780</td><td>805</td><td>845</td><td>895</td><td>950</td><td>1010</td></tr> <tr><td>645</td><td>685</td><td>710</td><td>750</td><td>800</td><td>855</td><td>915</td></tr> <tr><td>665</td><td>705</td><td>730</td><td>770</td><td>820</td><td>875</td><td>935</td></tr> <tr><td>700</td><td>740</td><td>765</td><td>805</td><td>855</td><td>910</td><td>970</td></tr> <tr><td>720</td><td>760</td><td>785</td><td>825</td><td>875</td><td>930</td><td>990</td></tr> <tr><td>670</td><td>710</td><td>735</td><td>775</td><td>825</td><td>880</td><td>940</td></tr> </tbody> </table> | A/COM | B | C | D | E | F | G | 570 | 610 | 635 | 675 | 725 | 780 | 840 | 740 | 780 | 805 | 845 | 895 | 950 | 1010 | 645 | 685 | 710 | 750 | 800 | 855 | 915 | 665 | 705 | 730 | 770 | 820 | 875 | 935 | 700 | 740 | 765 | 805 | 855 | 910 | 970 | 720 | 760 | 785 | 825 | 875 | 930 | 990 | 670 | 710 | 735 | 775 | 825 | 880 | 940 | <ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Infinite back angle adjust with free float • Ratchet Back Height Lumbar Adjustment • Height Adjustable Footring • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 42.5-55.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 25.0-35.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5 COM: 1.4 YDS WEIGHT: 36.0 LB | A6 \$130 A7 \$150 A16 \$100 |
| A/COM | B | | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 610 | 635 | 675 | 725 | 780 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 780 | 805 | 845 | 895 | 950 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 705 | 730 | 770 | 820 | 875 | 935 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 740 | 765 | 805 | 855 | 910 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 760 | 785 | 825 | 875 | 930 | 990 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 710 | 735 | 775 | 825 | 880 | 940 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1728 | B2 | 8" STOOL BASIC CONTROL Use for work surfaces up to 36 inches high. | ARMLESS | <table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>485</td><td>525</td><td>550</td><td>590</td><td>640</td><td>695</td><td>755</td></tr> <tr><td>655</td><td>695</td><td>720</td><td>760</td><td>810</td><td>865</td><td>925</td></tr> <tr><td>560</td><td>600</td><td>625</td><td>665</td><td>715</td><td>770</td><td>830</td></tr> <tr><td>580</td><td>620</td><td>645</td><td>685</td><td>735</td><td>790</td><td>850</td></tr> <tr><td>615</td><td>655</td><td>680</td><td>720</td><td>770</td><td>825</td><td>885</td></tr> <tr><td>635</td><td>675</td><td>700</td><td>740</td><td>790</td><td>845</td><td>905</td></tr> <tr><td>585</td><td>625</td><td>650</td><td>690</td><td>740</td><td>795</td><td>855</td></tr> </tbody> </table> | A/COM | B | C | D | E | F | G | 485 | 525 | 550 | 590 | 640 | 695 | 755 | 655 | 695 | 720 | 760 | 810 | 865 | 925 | 560 | 600 | 625 | 665 | 715 | 770 | 830 | 580 | 620 | 645 | 685 | 735 | 790 | 850 | 615 | 655 | 680 | 720 | 770 | 825 | 885 | 635 | 675 | 700 | 740 | 790 | 845 | 905 | 585 | 625 | 650 | 690 | 740 | 795 | 855 | <ul style="list-style-type: none"> • 360 degree swivel • Pneumatic Seat Height Adjustment • Adjustable back depth • Height Adjustable Footring • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 38.5-46.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 21.0-29.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5 COM: 1.4 YDS WEIGHT: 31.0 LB | C1 STD C1S \$35 C2S \$35 |
| A/COM | B | | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 525 | 550 | 590 | 640 | 695 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 600 | 625 | 665 | 715 | 770 | 830 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 655 | 680 | 720 | 770 | 825 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 625 | 650 | 690 | 740 | 795 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1728 | P1 | 8" STOOL POSTURE BACK CONTROL Use for work surfaces up to 36 inches high. | ARMLESS | <table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>570</td><td>610</td><td>635</td><td>675</td><td>725</td><td>780</td><td>840</td></tr> <tr><td>740</td><td>780</td><td>805</td><td>845</td><td>895</td><td>950</td><td>1010</td></tr> <tr><td>645</td><td>685</td><td>710</td><td>750</td><td>800</td><td>855</td><td>915</td></tr> <tr><td>665</td><td>705</td><td>730</td><td>770</td><td>820</td><td>875</td><td>935</td></tr> <tr><td>700</td><td>740</td><td>765</td><td>805</td><td>855</td><td>910</td><td>970</td></tr> <tr><td>720</td><td>760</td><td>785</td><td>825</td><td>875</td><td>930</td><td>990</td></tr> <tr><td>670</td><td>710</td><td>735</td><td>775</td><td>825</td><td>880</td><td>940</td></tr> </tbody> </table> | A/COM | B | C | D | E | F | G | 570 | 610 | 635 | 675 | 725 | 780 | 840 | 740 | 780 | 805 | 845 | 895 | 950 | 1010 | 645 | 685 | 710 | 750 | 800 | 855 | 915 | 665 | 705 | 730 | 770 | 820 | 875 | 935 | 700 | 740 | 765 | 805 | 855 | 910 | 970 | 720 | 760 | 785 | 825 | 875 | 930 | 990 | 670 | 710 | 735 | 775 | 825 | 880 | 940 | <ul style="list-style-type: none"> • Pneumatic Seat Height Adjustment • Infinite back angle adjust with free float • Ratchet Back Height Lumbar Adjustment • Height Adjustable Footring • Rated for 250 lbs | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 38.5-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 21.0-29.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5 COM: 1.4 YDS WEIGHT: 35.0 LB | BT \$15 EF1 \$30 MF1 \$50 BN1 \$35 BN2 \$N/C EP \$60 |
| A/COM | B | | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 610 | 635 | 675 | 725 | 780 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 780 | 805 | 845 | 895 | 950 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 705 | 730 | 770 | 820 | 875 | 935 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 740 | 765 | 805 | 855 | 910 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 760 | 785 | 825 | 875 | 930 | 990 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 710 | 735 | 775 | 825 | 880 | 940 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | A16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |