

agent

lending comfort, durability, and value to every project


GSA SIN # 33721

- Task, conference and stool seating
- Ratchet back lumbar height adjustment on select models
- Poly outer back
- Low- or mid-back models
- Warranted to 300 lbs.




















LOW-BACK

CREATING AGENT MODEL NUMBER



PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS	
				A/COM	B	C	D	E	F	G					
1425	B2	LOW-BACK BASIC TASK	A00	340	365	390	420	455	495	535		<ul style="list-style-type: none"> • 360-degree swivel • Pneumatic seat height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-36.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YD WEIGHT: 33.0 LB	 A4 \$80  A5 \$100  A6 \$135  A7 \$155	 C1 STD  C1S \$35  C2S \$35
			A4	420	445	470	500	535	575	615					
			A5	440	465	490	520	555	595	635					
			A6	475	500	525	555	590	630	670					
			A7	495	520	545	575	610	650	690					
			A16	445	470	495	525	560	600	640					
			A36	450	475	500	530	565	605	645					
			A37	470	495	520	550	585	625	665					
				SEAT SLIDER (SS) - NOT AVAILABLE											
1425	S2	LOW-BACK SWIVEL TILT WITH BACK DEPTH ADJUSTMENT	A00	385	410	435	465	500	540	580		<ul style="list-style-type: none"> • Adjustable back depth • Upright lock • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-36.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 SEAT HEIGHT W/ SEAT SLIDER: 18.5-23 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YD WEIGHT: 35.0 LB	 A16 \$105  A36 \$110  A37 \$130	 C1S \$35  C2S \$35
			A4	465	490	515	545	580	620	660					
			A5	485	510	535	565	600	640	680					
			A6	520	545	570	600	635	675	715					
			A7	540	565	590	620	655	695	735					
			A16	490	515	540	570	605	645	685					
			A36	495	520	545	575	610	650	690					
			A37	515	540	565	595	630	670	710					
				SEAT SLIDER (SS) - ADD \$60											
1425	P1	LOW-BACK POSTURE BACK	A00	425	450	475	505	540	580	620		<ul style="list-style-type: none"> • Ratchet back lumbar adjustment • Infinite back angle adjustment with free float • 360° swivel • Pneumatic seat height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-39.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 SEAT HEIGHT W/ SEAT SLIDER: 18.5-23.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5-19.5 COM: 0.8 YD WEIGHT: 37.0 LB	 BA1B STD	
			A4	505	530	555	585	620	660	700					
			A5	525	550	575	605	640	680	720					
			A6	560	585	610	640	675	715	755					
			A7	580	605	630	660	695	735	775					
			A16	530	555	580	610	645	685	725					
			A36	535	560	585	615	650	690	730					
			A37	555	580	605	635	670	710	750					
				SEAT SLIDER (SS) - ADD \$60											
1425	R1	LOW-BACK ROCKING TILT	A00	435	460	485	515	550	590	630		<ul style="list-style-type: none"> • Ratchet back lumbar adjustment • Infinite back angle adjustment • Infinite tilt lock • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-36.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 SEAT HEIGHT W/ SEAT SLIDER: 18.5-23.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5-19.5 COM: 0.8 YD WEIGHT: 33.0 LB	 EF1 \$30  MF1 \$50  SS \$60  BT \$15	
			A4	515	540	565	595	630	670	710					
			A5	535	560	585	615	650	690	730					
			A6	570	595	620	650	685	725	765					
			A7	590	615	640	670	705	745	785					
			A16	540	565	590	620	655	695	735					
			A36	545	570	595	625	660	700	740					
			A37	565	590	615	645	680	720	760					
				SEAT SLIDER (SS) - ADD \$60											

agent

lending comfort, durability, and value to every project


LOW-BACK

GSA SIN # 33721

- Task, conference and stool seating
- Ratchet back lumbar height adjustment on select models
- Poly outer back
- Low- or mid-back models
- Warranted to 300 lbs.



CREATING AGENT MODEL NUMBER



PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL: 1425 CONTROL: M1 DESCRIPTION: **LOW-BACK MULTI-FUNCTION**

ARM	FABRIC	A/COM	B	C	D	E	F	G
A00		485	510	535	565	600	640	680
A4		565	590	615	645	680	720	760
A5		585	610	635	665	700	740	780
A6		620	645	670	700	735	775	815
A7		640	665	690	720	755	795	835
A16		590	615	640	670	705	745	785
A36		595	620	645	675	710	750	790
A37		615	640	665	695	730	770	810

SEAT SLIDER (SS) - ADD \$60

- FEATURES
- Ratchet back lumbar adjustment
 - Infinite back angle adjustment
 - 6° forward tilt
 - Center knob tension adjustment
 - 360° swivel
 - Pneumatic cylinder height adjustment

DIMENSIONS

WIDTH: 27.0
 DEPTH: 26.5
 HEIGHT: 31.5-36.0
 SEAT WIDTH: 19.5
 SEAT DEPTH: 15.5
 SEAT HEIGHT: 19.0-23.5
 SEAT HEIGHT W/ SEAT SLIDER: 20.0-24.5
 BACK WIDTH: 16.5
 BACK HEIGHT: 16.5-19.5
 COM: 0.8 YD
 WEIGHT: 43.0 LB

ARM OPTIONS

A4 \$80
 A5 \$100
 A6 \$135
 A7 \$155

A4 - Height Adjustable Arm
 A5 - Height/Width Adjustable Arm
 A6 - Height Adjustable Pivot Slide Arm
 A7 - Height/Width Adjustable Pivot Slide Arm

CASTER OPTIONS

C1 STD
 Carpet Casters

C1S \$35
 Hard Floor and Carpet Casters

C2S \$35
 Self-Locking Hard Floor and Carpet Casters

MODEL: 1425 CONTROL: Y2-SS DESCRIPTION: **LOW-BACK HEAVY DUTY SYNCHRO TILT WITH SEAT SLIDER**

ARM	FABRIC	A/COM	B	C	D	E	F	G
A00		525	550	575	605	640	680	720
A4		605	630	655	685	720	760	800
A5		625	650	675	705	740	780	820
A6		660	685	710	740	775	815	855
A7		680	705	730	760	795	835	875
A16		630	655	680	710	745	785	825
A36		635	660	685	715	750	790	830
A37		655	680	705	735	770	810	850

SEAT SLIDER (SS) - STANDARD

- FEATURES
- Ratchet back lumbar adjustment
 - Seat slider included
 - 4-position tilt lock
 - Side knob tension control
 - 2:1 back-to-seat tilt ratio
 - 360° swivel
 - Pneumatic cylinder height adjustment

DIMENSIONS

WIDTH: 27.0
 DEPTH: 26.5
 HEIGHT: 31.5-36.0
 SEAT WIDTH: 19.5
 SEAT DEPTH: 15.5
 SEAT HEIGHT: 19.0-23.5
 BACK WIDTH: 16.5
 BACK HEIGHT: 16.5-19.5
 COM: 0.8 YD
 WEIGHT: 35.0 LB

A16 \$105
A36 \$110

Soft Touch C-Shape Arm
 Height Adjustable Pivot/Slide Arm

A37 \$130

Height/Width Adjustable Pivot/Slide Arm

BASE OPTIONS

BA1B STD
 26" Nylon Base - Black

ADDITIONAL OPTIONS

EF1 \$30
 1" Extra Foam on Seat

MF1 \$50
 1" Visco Elastic Memory Foam on Seat

SS \$60
 Seat Slider 2.5" Side Paddle Activated (Standard with Y2 Control)

BT \$15

Replace Knob with Bolt (for B2 or S2 Controls ONLY)

agent

lending comfort, durability, and value to every project

LOW-BACK STOOLS

GSA SIN # 33721

- Task, conference and stool seating
- Ratchet back lumbar height adjustment on select models
- Poly outer back
- Low- or mid-back models
- Warranted to 300 lbs.



CREATING AGENT MODEL NUMBER



PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC	FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1426	B2	LOW-BACK 10" STOOL BASIC TASK WITH BACK DEPTH ADJUSTMENT Use for work surfaces up to 42" high	A00	A/COM 465, B 490, C 515, D 545, E 580, F 620, G 660	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 40.5-50.5 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YD WEIGHT: 38.0 LB	A4 \$80 A5 \$100 A6 \$135 A7 \$155	C1 STD C1S \$35 C2S \$35
			A4	545 570 595 625 660 700 740				
			A5	565 590 615 645 680 720 760				
			A6	600 625 650 680 715 755 795				
			A7	620 645 670 700 735 775 815				
			A16	570 595 620 650 685 725 765				
			A36	575 600 625 655 690 730 770				
			A37	595 620 645 675 710 750 790				
SEAT SLIDER (SS) - NOT AVAILABLE								
1426	P1	LOW-BACK 10" STOOL POSTURE BACK Use for work surfaces up to 42" high	A00	A/COM 550, B 575, C 600, D 630, E 665, F 705, G 745	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Ratchet back lumbar adjustment • Infinite back angle adjustment with free float • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 40.5-53.5 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5-19.5 COM: 0.8 YD WEIGHT: 42.0 LB	A16 \$105 A36 \$110 A37 \$130	C1S \$35 C2S \$35
			A4	630 655 680 710 745 785 825				
			A5	650 675 700 730 765 805 845				
			A6	685 710 735 765 800 840 880				
			A7	705 730 755 785 820 860 900				
			A16	655 680 705 735 770 810 850				
			A36	660 685 710 740 775 815 855				
			A37	680 705 730 760 795 835 875				
SEAT SLIDER (SS) - NOT AVAILABLE								
1428	B2	LOW-BACK 8" STOOL BASIC TASK WITH BACK DEPTH ADJUSTMENT Use for work surfaces up to 36" high	A00	A/COM 465, B 490, C 515, D 545, E 580, F 620, G 660	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YD WEIGHT: 37.0 LB	BA1B STD	
			A4	545 570 595 625 660 700 740				
			A5	565 590 615 645 680 720 760				
			A6	600 625 650 680 715 755 795				
			A7	620 645 670 700 735 775 815				
			A16	570 595 620 650 685 725 765				
			A36	575 600 625 655 690 730 770				
			A37	595 620 645 675 710 750 790				
SEAT SLIDER (SS) - NOT AVAILABLE								
1428	P1	LOW-BACK 8" STOOL POSTURE BACK Use for work surfaces up to 36" high	A00	A/COM 550, B 575, C 600, D 630, E 665, F 705, G 745	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Ratchet back lumbar adjustment • Infinite back angle adjustment with free float • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5-19.5 COM: 0.8 YD WEIGHT: 41.0 LB	EF1 \$30 MF1 \$50 BT \$15	
			A4	630 655 680 710 745 785 825				
			A5	650 675 700 730 765 805 845				
			A6	685 710 735 765 800 840 880				
			A7	705 730 755 785 820 860 900				
			A16	655 680 705 735 770 810 850				
			A36	660 685 710 740 775 815 855				
			A37	680 705 730 760 795 835 875				
SEAT SLIDER (SS) - NOT AVAILABLE								

agent

lending comfort, durability, and value to every project

GSA SIN # 33721

- Task, conference and stool seating
- Ratchet back lumbar height adjustment on select models
- Poly outer back
- Low- or mid-back models
- Warranted to 300 lbs.



CREATING AGENT MODEL NUMBER



PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MID-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC	FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1660	B2	MID-BACK BASIC TASK WITH BACK DEPTH ADJUSTMENT	A00 A4 A5 A6 A7 A16 A36 A37	A/COM B C D E F G	<ul style="list-style-type: none"> • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-44.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 1.0 YD WEIGHT: 40.0 LB	A4 - Height Adjustable Arm \$80 A5 - Height/Width Adjustable Arm \$100 A6 - Height Adjustable Pivot Slide Arm \$135 A7 - Height/Width Adjustable Pivot Slide Arm \$155	C1 STD Carpet Casters C1S \$35 Hard Floor and Carpet Casters C2S \$35 Self-Locking Hard Floor and Carpet Casters
1660	S2	MID-BACK SWIVEL TILT WITH BACK DEPTH ADJUSTMENT	A00 A4 A5 A6 A7 A16 A36 A37	A/COM B C D E F G	<ul style="list-style-type: none"> • Adjustable back depth • Upright lock • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-44.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 SEAT HEIGHT W/ SEAT SLIDER: 19.5-24.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 1.0 YD WEIGHT: 42.0 LB	A16 Soft Touch C-Shape Arm \$105 A36 Height Adjustable Pivot/Slide Arm \$110 A37 Height/Width Adjustable Pivot/Slide Arm \$130 A90 Height Adjustable Breakaway Arm \$205	C1S \$35 Hard Floor and Carpet Casters C2S \$35 Self-Locking Hard Floor and Carpet Casters
1660	P1	MID-BACK POSTURE BACK	A00 A4 A5 A6 A7 A16 A36 A37	A/COM B C D E F G	<ul style="list-style-type: none"> • Infinite back angle adjustment with free float • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 SEAT HEIGHT W/ SEAT SLIDER: 19.5-24.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 1.0 YD WEIGHT: 44.0 LB	A37 Height/Width Adjustable Pivot/Slide Arm \$130 A90 Height Adjustable Breakaway Arm \$205	BA1B STD 26" Nylon Base - Black
1660	R1	MID-BACK ROCKING TILT	A00 A4 A5 A6 A7 A16 A36 A37	A/COM B C D E F G	<ul style="list-style-type: none"> • Infinite back angle adjustment • Infinite tilt lock • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5-23.0 SEAT HEIGHT W/ SEAT SLIDER: 19.5-24.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 1.0 YD WEIGHT: 46.0 LB	EF1 \$30 1" Extra Foam on Seat MF1 \$50 1" Visco Elastic Memory Foam on Seat SS \$60 Seat Slider 2.5" Side Paddle Activated (Standard with Y2 Control) BT \$15 Replace Knob with Bolt (for B2 or S2 Controls Only)	

agent

lending comfort, durability, and value to every project


MID-BACK

GSA SIN # 33721

- Task, conference and stool seating
- Ratchet back lumbar height adjustment on select models
- Poly outer back
- Low- or mid-back models
- Warranted to 300 lbs.



CREATING AGENT MODEL NUMBER



PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC	FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS																																																																																																																																														
1660	M1	MID-BACK MULTI-FUNCTION	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>A00</td><td>560</td><td>590</td><td>615</td><td>650</td><td>690</td><td>730</td><td>770</td></tr> <tr><td>A4</td><td>640</td><td>670</td><td>695</td><td>730</td><td>770</td><td>810</td><td>850</td></tr> <tr><td>A5</td><td>660</td><td>690</td><td>715</td><td>750</td><td>790</td><td>830</td><td>870</td></tr> <tr><td>A6</td><td>695</td><td>725</td><td>750</td><td>785</td><td>825</td><td>865</td><td>905</td></tr> <tr><td>A7</td><td>715</td><td>745</td><td>770</td><td>805</td><td>845</td><td>885</td><td>925</td></tr> <tr><td>A16</td><td>665</td><td>695</td><td>720</td><td>755</td><td>795</td><td>835</td><td>875</td></tr> <tr><td>A36</td><td>670</td><td>700</td><td>725</td><td>760</td><td>800</td><td>840</td><td>880</td></tr> <tr><td>A37</td><td>690</td><td>720</td><td>745</td><td>780</td><td>820</td><td>860</td><td>900</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	A00	560	590	615	650	690	730	770	A4	640	670	695	730	770	810	850	A5	660	690	715	750	790	830	870	A6	695	725	750	785	825	865	905	A7	715	745	770	805	845	885	925	A16	665	695	720	755	795	835	875	A36	670	700	725	760	800	840	880	A37	690	720	745	780	820	860	900	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>A00</td><td>560</td><td>590</td><td>615</td><td>650</td><td>690</td><td>730</td><td>770</td></tr> <tr><td>A4</td><td>640</td><td>670</td><td>695</td><td>730</td><td>770</td><td>810</td><td>850</td></tr> <tr><td>A5</td><td>660</td><td>690</td><td>715</td><td>750</td><td>790</td><td>830</td><td>870</td></tr> <tr><td>A6</td><td>695</td><td>725</td><td>750</td><td>785</td><td>825</td><td>865</td><td>905</td></tr> <tr><td>A7</td><td>715</td><td>745</td><td>770</td><td>805</td><td>845</td><td>885</td><td>925</td></tr> <tr><td>A16</td><td>665</td><td>695</td><td>720</td><td>755</td><td>795</td><td>835</td><td>875</td></tr> <tr><td>A36</td><td>670</td><td>700</td><td>725</td><td>760</td><td>800</td><td>840</td><td>880</td></tr> <tr><td>A37</td><td>690</td><td>720</td><td>745</td><td>780</td><td>820</td><td>860</td><td>900</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	A00	560	590	615	650	690	730	770	A4	640	670	695	730	770	810	850	A5	660	690	715	750	790	830	870	A6	695	725	750	785	825	865	905	A7	715	745	770	805	845	885	925	A16	665	695	720	755	795	835	875	A36	670	700	725	760	800	840	880	A37	690	720	745	780	820	860	900	<ul style="list-style-type: none"> • Ratchet back lumbar adjustment • Infinite back angle adjustment • 6° forward tilt • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	<p>WIDTH: 26.5</p> <p>DEPTH: 26.5</p> <p>HEIGHT: 38.5-44.0</p> <p>SEAT WIDTH: 22.0</p> <p>SEAT DEPTH: 17.5-20.5</p> <p>SEAT HEIGHT: 18.5-23.0</p> <p>SEAT HEIGHT W/ SEAT SLIDER: 19.5-24.0</p> <p>BACK WIDTH: 19.5</p> <p>BACK HEIGHT: 23.0-26.0</p> <p>COM: 1.0 YD</p> <p>WEIGHT: 48.0 LB</p>	<p>A4 \$80</p> <p>A5 \$100</p> <p>A4 - Height Adjustable Arm</p> <p>A5 - Height/Width Adjustable Arm</p> <p>A6 \$135</p> <p>A7 \$155</p> <p>A6 - Height Adjustable Pivot Slide Arm</p> <p>A7 - Height/Width Adjustable Pivot Slide Arm</p>	<p>C1 STD</p> <p>Carpet Casters</p> <p>C1S \$35</p> <p>Hard Floor and Carpet Casters</p> <p>C2S \$35</p> <p>Self-Locking Hard Floor and Carpet Casters</p>
A/COM	B	C	D	E	F	G																																																																																																																																																
A00	560	590	615	650	690	730	770																																																																																																																																															
A4	640	670	695	730	770	810	850																																																																																																																																															
A5	660	690	715	750	790	830	870																																																																																																																																															
A6	695	725	750	785	825	865	905																																																																																																																																															
A7	715	745	770	805	845	885	925																																																																																																																																															
A16	665	695	720	755	795	835	875																																																																																																																																															
A36	670	700	725	760	800	840	880																																																																																																																																															
A37	690	720	745	780	820	860	900																																																																																																																																															
A/COM	B	C	D	E	F	G																																																																																																																																																
A00	560	590	615	650	690	730	770																																																																																																																																															
A4	640	670	695	730	770	810	850																																																																																																																																															
A5	660	690	715	750	790	830	870																																																																																																																																															
A6	695	725	750	785	825	865	905																																																																																																																																															
A7	715	745	770	805	845	885	925																																																																																																																																															
A16	665	695	720	755	795	835	875																																																																																																																																															
A36	670	700	725	760	800	840	880																																																																																																																																															
A37	690	720	745	780	820	860	900																																																																																																																																															
1660	Y2-SS	MID-BACK HEAVY DUTY SYNCHRO TILT	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>A00</td><td>600</td><td>630</td><td>655</td><td>690</td><td>730</td><td>770</td><td>810</td></tr> <tr><td>A4</td><td>680</td><td>710</td><td>735</td><td>770</td><td>810</td><td>850</td><td>890</td></tr> <tr><td>A5</td><td>700</td><td>730</td><td>755</td><td>790</td><td>830</td><td>870</td><td>910</td></tr> <tr><td>A6</td><td>735</td><td>765</td><td>790</td><td>825</td><td>865</td><td>905</td><td>945</td></tr> <tr><td>A7</td><td>755</td><td>785</td><td>810</td><td>845</td><td>885</td><td>925</td><td>965</td></tr> <tr><td>A16</td><td>705</td><td>735</td><td>760</td><td>795</td><td>835</td><td>875</td><td>915</td></tr> <tr><td>A36</td><td>710</td><td>740</td><td>765</td><td>800</td><td>840</td><td>880</td><td>920</td></tr> <tr><td>A37</td><td>730</td><td>760</td><td>785</td><td>820</td><td>860</td><td>900</td><td>940</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	A00	600	630	655	690	730	770	810	A4	680	710	735	770	810	850	890	A5	700	730	755	790	830	870	910	A6	735	765	790	825	865	905	945	A7	755	785	810	845	885	925	965	A16	705	735	760	795	835	875	915	A36	710	740	765	800	840	880	920	A37	730	760	785	820	860	900	940	<table border="1"> <thead> <tr> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> </tr> </thead> <tbody> <tr><td>A00</td><td>600</td><td>630</td><td>655</td><td>690</td><td>730</td><td>770</td><td>810</td></tr> <tr><td>A4</td><td>680</td><td>710</td><td>735</td><td>770</td><td>810</td><td>850</td><td>890</td></tr> <tr><td>A5</td><td>700</td><td>730</td><td>755</td><td>790</td><td>830</td><td>870</td><td>910</td></tr> <tr><td>A6</td><td>735</td><td>765</td><td>790</td><td>825</td><td>865</td><td>905</td><td>945</td></tr> <tr><td>A7</td><td>755</td><td>785</td><td>810</td><td>845</td><td>885</td><td>925</td><td>965</td></tr> <tr><td>A16</td><td>705</td><td>735</td><td>760</td><td>795</td><td>835</td><td>875</td><td>915</td></tr> <tr><td>A36</td><td>710</td><td>740</td><td>765</td><td>800</td><td>840</td><td>880</td><td>920</td></tr> <tr><td>A37</td><td>730</td><td>760</td><td>785</td><td>820</td><td>860</td><td>900</td><td>940</td></tr> </tbody> </table>	A/COM	B	C	D	E	F	G	A00	600	630	655	690	730	770	810	A4	680	710	735	770	810	850	890	A5	700	730	755	790	830	870	910	A6	735	765	790	825	865	905	945	A7	755	785	810	845	885	925	965	A16	705	735	760	795	835	875	915	A36	710	740	765	800	840	880	920	A37	730	760	785	820	860	900	940	<ul style="list-style-type: none"> • Ratchet back lumbar adjustment • Seat slider standard • 4-position tilt lock • Side knob tension control • 2:1 back-to-seat tilt ratio • 360° swivel • Pneumatic cylinder height adjustment 	<p>WIDTH: 26.5</p> <p>DEPTH: 26.5</p> <p>HEIGHT: 38.5-44.0</p> <p>SEAT WIDTH: 22.0</p> <p>SEAT DEPTH: 17.5-20.5</p> <p>SEAT HEIGHT: 18.5-21.5</p> <p>BACK WIDTH: 19.5</p> <p>BACK HEIGHT: 23.0-26.0</p> <p>COM: 1.0 YD</p> <p>WEIGHT: 48.0 LB</p>	<p>A16 \$105</p> <p>Soft Touch C-Shape Arm</p> <p>A36 \$110</p> <p>Height Adjustable Pivot/Slide Arm</p> <p>A37 \$130</p> <p>Height/Width Adjustable Pivot/Slide Arm</p> <p>A90 \$205</p> <p>Height Adjustable Breakaway Arm</p>	<p>BA1B STD</p> <p>26" Nylon Base - Black</p>
A/COM	B	C	D	E	F	G																																																																																																																																																
A00	600	630	655	690	730	770	810																																																																																																																																															
A4	680	710	735	770	810	850	890																																																																																																																																															
A5	700	730	755	790	830	870	910																																																																																																																																															
A6	735	765	790	825	865	905	945																																																																																																																																															
A7	755	785	810	845	885	925	965																																																																																																																																															
A16	705	735	760	795	835	875	915																																																																																																																																															
A36	710	740	765	800	840	880	920																																																																																																																																															
A37	730	760	785	820	860	900	940																																																																																																																																															
A/COM	B	C	D	E	F	G																																																																																																																																																
A00	600	630	655	690	730	770	810																																																																																																																																															
A4	680	710	735	770	810	850	890																																																																																																																																															
A5	700	730	755	790	830	870	910																																																																																																																																															
A6	735	765	790	825	865	905	945																																																																																																																																															
A7	755	785	810	845	885	925	965																																																																																																																																															
A16	705	735	760	795	835	875	915																																																																																																																																															
A36	710	740	765	800	840	880	920																																																																																																																																															
A37	730	760	785	820	860	900	940																																																																																																																																															
							<p>EF1 \$30</p> <p>1" Extra Foam on Seat</p> <p>MF1 \$50</p> <p>1" Visco Elastic Memory Foam on Seat</p> <p>SS \$60</p> <p>Seat Slider 2.5" Side Paddle Activated (Standard with Y2 Control)</p> <p>BT \$15</p> <p>Replace Knob with Bolt (for B2 or S2 Controls Only)</p>																																																																																																																																															

agent


lending comfort, durability, and value to every project

GSA SIN # 33721

- Task, conference and stool seating
- Ratchet back lumbar height adjustment on select models
- Poly outer back
- Low- or mid-back models
- Warranted to 300 lbs.





















CREATING AGENT MODEL NUMBER



PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MID-BACK STOOLS

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC	FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1666	B2	MID-BACK BASIC TASK WITH BACK DEPTH ADJUSTMENT Use for work surfaces up to 42" high	A00	A/COM: 540, B: 570, C: 595, D: 630, E: 670, F: 710, G: 750	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Adjustable back depth • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.5-57.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0 COM: 1.0 YD WEIGHT: 46.0 LB	 A4 \$80  A5 \$100  A6 \$135  A7 \$155	 C1 STD  C1S \$35  C2S \$35
			A4	620 650 675 710 750 790 830				
			A5	640 670 695 730 770 810 850				
			A6	675 705 730 765 805 845 885				
			A7	695 725 750 785 825 865 905				
			A16	645 675 700 735 775 815 855				
			A36	650 680 705 740 780 820 860				
			A37	670 700 725 760 800 840 880				
SEAT SLIDER (SS) - NOT AVAILABLE								
1666	P1	MID-BACK POSTURE BACK Use for work surfaces up to 42" high	A00	A/COM: 625, B: 655, C: 680, D: 715, E: 755, F: 795, G: 835	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Ratchet back lumbar adjustment • Infinite back angle adjustment with free float • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.5-57.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 1.0 YD WEIGHT: 50.0 LB	 A16 \$105  A36 \$110  A37 \$130  A90 \$205	 C1 STD  C1S \$35  C2S \$35
			A4	705 735 760 795 835 875 915				
			A5	725 755 780 815 855 895 935				
			A6	760 790 815 850 890 930 970				
			A7	780 810 835 870 910 950 990				
			A16	730 760 785 820 860 900 940				
			A36	735 765 790 825 865 905 945				
			A37	755 785 810 845 885 925 965				
SEAT SLIDER (SS) - NOT AVAILABLE								
1668	B2	MID-BACK BASIC TASK WITH BACK DEPTH ADJUSTMENT Use for work surfaces up to 36" high	A00	A/COM: 540, B: 570, C: 595, D: 630, E: 670, F: 710, G: 750	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Adjustable back depth • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 43.5-51.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0 COM: 1.0 YD WEIGHT: 45.0 LB	 BA1B STD	
			A4	620 650 675 710 750 790 830				
			A5	640 670 695 730 770 810 850				
			A6	675 705 730 765 805 845 885				
			A7	695 725 750 785 825 865 905				
			A16	645 675 700 735 775 815 855				
			A36	650 680 705 740 780 820 860				
			A37	670 700 725 760 800 840 880				
SEAT SLIDER (SS) - NOT AVAILABLE								
1668	P1	MID-BACK POSTURE BACK Use for work surfaces up to 36" high	A00	A/COM: 625, B: 655, C: 680, D: 715, E: 755, F: 795, G: 835	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Ratchet back lumbar adjustment • Infinite back angle adjustment with free float • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 43.5-55.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 1.0 YD WEIGHT: 49.0 LB	 EF1 \$30  MF1 \$50  BT \$15 (for B2 or S2 Controls Only)	
			A4	705 735 760 795 835 875 915				
			A5	725 755 780 815 855 895 935				
			A6	760 790 815 850 890 930 970				
			A7	780 810 835 870 910 950 990				
			A16	730 760 785 820 860 900 940				
			A36	735 765 790 825 865 905 945				
			A37	755 785 810 845 885 925 965				
SEAT SLIDER (SS) - NOT AVAILABLE								