

strata lite

let strata float into your office

GSA SIN # 33721

- Task, stool, conference and executive seating
- Nylon frame and base
- Mesh or upholstered seat
- Height- and depth-adjustable lumbar standard
- Warranted to 300 lbs.



MESH BACK UPHOLSTERED SEAT STOOLS

CREATING STRATA LITE MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME MESH COLOR** GRADE BASE CASTERS PACKAGING OPTIONS

1 5 0 0 - Y 0 - A 0 0 - B F - M 0 1 0 0 - B A 0 0 - C 0 0 0 0 0 0 0 0











**FOR UNLESS USE CODE A00 **NOT AVAILABLE IN BLACK MESH NET

PACKAGING NOTES



CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LEATHER	FEATURES	DIMENSIONS																																																																																																																																																																																																																								
1546	Y1	MID-BACK 10" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 42" high	<table border="1"> <thead> <tr> <th></th> <th>T01</th> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>L3/COL</th> <th>L4</th> <th>L5</th> </tr> </thead> <tbody> <tr><td>A00</td><td>700</td><td>740</td><td>770</td><td>795</td><td>830</td><td>870</td><td>910</td><td>950</td><td>865</td><td>935</td><td>990</td></tr> <tr><td>A6</td><td>835</td><td>875</td><td>905</td><td>930</td><td>965</td><td>1005</td><td>1045</td><td>1085</td><td>1000</td><td>1070</td><td>1125</td></tr> <tr><td>A7</td><td>855</td><td>895</td><td>925</td><td>950</td><td>985</td><td>1025</td><td>1065</td><td>1105</td><td>1020</td><td>1090</td><td>1145</td></tr> <tr><td>ABB/S</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A9B/S</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A10</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A36</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A37</td><td>830</td><td>870</td><td>900</td><td>925</td><td>960</td><td>1000</td><td>1040</td><td>1080</td><td>995</td><td>1065</td><td>1120</td></tr> </tbody> </table>		T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5	A00	700	740	770	795	830	870	910	950	865	935	990	A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125	A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145	ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080	A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100	A10	790	830	860	885	920	960	1000	1040	955	1025	1080	A36	810	850	880	905	940	980	1020	1060	975	1045	1100	A37	830	870	900	925	960	1000	1040	1080	995	1065	1120	<table border="1"> <thead> <tr> <th></th> <th>T01</th> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>L3/COL</th> <th>L4</th> <th>L5</th> </tr> </thead> <tbody> <tr><td>A00</td><td>700</td><td>740</td><td>770</td><td>795</td><td>830</td><td>870</td><td>910</td><td>950</td><td>865</td><td>935</td><td>990</td></tr> <tr><td>A6</td><td>835</td><td>875</td><td>905</td><td>930</td><td>965</td><td>1005</td><td>1045</td><td>1085</td><td>1000</td><td>1070</td><td>1125</td></tr> <tr><td>A7</td><td>855</td><td>895</td><td>925</td><td>950</td><td>985</td><td>1025</td><td>1065</td><td>1105</td><td>1020</td><td>1090</td><td>1145</td></tr> <tr><td>ABB/S</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A9B/S</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A10</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A36</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A37</td><td>830</td><td>870</td><td>900</td><td>925</td><td>960</td><td>1000</td><td>1040</td><td>1080</td><td>995</td><td>1065</td><td>1120</td></tr> </tbody> </table>		T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5	A00	700	740	770	795	830	870	910	950	865	935	990	A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125	A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145	ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080	A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100	A10	790	830	860	885	920	960	1000	1040	955	1025	1080	A36	810	850	880	905	940	980	1020	1060	975	1045	1100	A37	830	870	900	925	960	1000	1040	1080	995	1065	1120	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Upright tilt lock • 3:1 back-to-seat tilt ratio • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	<p>WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 49.0-59.0</p> <p>SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 27.0-37.0 BACK WIDTH: 21.0 BACK HEIGHT: 22.0</p> <p>COM: 0.9 YD COL: 11.0 SQ FT WEIGHT: 52.0 LB</p>
	T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5																																																																																																																																																																																																																			
A00	700	740	770	795	830	870	910	950	865	935	990																																																																																																																																																																																																																			
A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125																																																																																																																																																																																																																			
A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145																																																																																																																																																																																																																			
ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A10	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A36	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A37	830	870	900	925	960	1000	1040	1080	995	1065	1120																																																																																																																																																																																																																			
	T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5																																																																																																																																																																																																																			
A00	700	740	770	795	830	870	910	950	865	935	990																																																																																																																																																																																																																			
A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125																																																																																																																																																																																																																			
A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145																																																																																																																																																																																																																			
ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A10	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A36	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A37	830	870	900	925	960	1000	1040	1080	995	1065	1120																																																																																																																																																																																																																			
1548	Y1	MID-BACK 8" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 36" high	<table border="1"> <thead> <tr> <th></th> <th>T01</th> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>L3/COL</th> <th>L4</th> <th>L5</th> </tr> </thead> <tbody> <tr><td>A00</td><td>700</td><td>740</td><td>770</td><td>795</td><td>830</td><td>870</td><td>910</td><td>950</td><td>865</td><td>935</td><td>990</td></tr> <tr><td>A6</td><td>835</td><td>875</td><td>905</td><td>930</td><td>965</td><td>1005</td><td>1045</td><td>1085</td><td>1000</td><td>1070</td><td>1125</td></tr> <tr><td>A7</td><td>855</td><td>895</td><td>925</td><td>950</td><td>985</td><td>1025</td><td>1065</td><td>1105</td><td>1020</td><td>1090</td><td>1145</td></tr> <tr><td>ABB/S</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A9B/S</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A10</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A36</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A37</td><td>830</td><td>870</td><td>900</td><td>925</td><td>960</td><td>1000</td><td>1040</td><td>1080</td><td>995</td><td>1065</td><td>1120</td></tr> </tbody> </table>		T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5	A00	700	740	770	795	830	870	910	950	865	935	990	A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125	A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145	ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080	A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100	A10	790	830	860	885	920	960	1000	1040	955	1025	1080	A36	810	850	880	905	940	980	1020	1060	975	1045	1100	A37	830	870	900	925	960	1000	1040	1080	995	1065	1120	<table border="1"> <thead> <tr> <th></th> <th>T01</th> <th>A/COM</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>L3/COL</th> <th>L4</th> <th>L5</th> </tr> </thead> <tbody> <tr><td>A00</td><td>700</td><td>740</td><td>770</td><td>795</td><td>830</td><td>870</td><td>910</td><td>950</td><td>865</td><td>935</td><td>990</td></tr> <tr><td>A6</td><td>835</td><td>875</td><td>905</td><td>930</td><td>965</td><td>1005</td><td>1045</td><td>1085</td><td>1000</td><td>1070</td><td>1125</td></tr> <tr><td>A7</td><td>855</td><td>895</td><td>925</td><td>950</td><td>985</td><td>1025</td><td>1065</td><td>1105</td><td>1020</td><td>1090</td><td>1145</td></tr> <tr><td>ABB/S</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A9B/S</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A10</td><td>790</td><td>830</td><td>860</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>1040</td><td>955</td><td>1025</td><td>1080</td></tr> <tr><td>A36</td><td>810</td><td>850</td><td>880</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>1060</td><td>975</td><td>1045</td><td>1100</td></tr> <tr><td>A37</td><td>830</td><td>870</td><td>900</td><td>925</td><td>960</td><td>1000</td><td>1040</td><td>1080</td><td>995</td><td>1065</td><td>1120</td></tr> </tbody> </table>		T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5	A00	700	740	770	795	830	870	910	950	865	935	990	A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125	A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145	ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080	A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100	A10	790	830	860	885	920	960	1000	1040	955	1025	1080	A36	810	850	880	905	940	980	1020	1060	975	1045	1100	A37	830	870	900	925	960	1000	1040	1080	995	1065	1120	<ul style="list-style-type: none"> • Height-adjustable 20" diameter foot ring • Upright tilt lock • 3:1 back-to-seat tilt ratio • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	<p>WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 45.0-53.0</p> <p>SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 23.0-31.0 BACK WIDTH: 22.0 BACK HEIGHT: 22.0</p> <p>COM: 0.9 YD COL: 11.0 SQ FT WEIGHT: 49.5 LB</p>
	T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5																																																																																																																																																																																																																			
A00	700	740	770	795	830	870	910	950	865	935	990																																																																																																																																																																																																																			
A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125																																																																																																																																																																																																																			
A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145																																																																																																																																																																																																																			
ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A10	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A36	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A37	830	870	900	925	960	1000	1040	1080	995	1065	1120																																																																																																																																																																																																																			
	T01	A/COM	B	C	D	E	F	G	L3/COL	L4	L5																																																																																																																																																																																																																			
A00	700	740	770	795	830	870	910	950	865	935	990																																																																																																																																																																																																																			
A6	835	875	905	930	965	1005	1045	1085	1000	1070	1125																																																																																																																																																																																																																			
A7	855	895	925	950	985	1025	1065	1105	1020	1090	1145																																																																																																																																																																																																																			
ABB/S	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A9B/S	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A10	790	830	860	885	920	960	1000	1040	955	1025	1080																																																																																																																																																																																																																			
A36	810	850	880	905	940	980	1020	1060	975	1045	1100																																																																																																																																																																																																																			
A37	830	870	900	925	960	1000	1040	1080	995	1065	1120																																																																																																																																																																																																																			

ARM OPTIONS

 <p>A6 \$135</p> <p>Height Adjustable Pivot Slide Arm</p>	 <p>A7 \$155</p> <p>Height/Width Adjustable Pivot Slide Arm</p>	 <p>C4 STD</p> <p>Heavy Duty Hard Wood Floor and Casters</p>
 <p>A8B/S \$90</p> <p>Height Adjustable Arm - Black/Silver</p>	 <p>A9B/S \$110</p> <p>Height/Width Adjustable Arm - Black/Silver</p>	 <p>C1S C2S \$35</p> <p>C1S - Hard Floor and Carpet Casters C2S - Self-Locking Hard Floor and Carpet Casters</p>
 <p>A10 \$90</p> <p>Soft Touch C-Shaped Arm</p>	 <p>A36 \$110</p> <p>Height Adjustable Pivot/Slide Arm</p>	
 <p>A37 \$130</p> <p>Height/Width Adjustable Pivot/Slide Arm</p>	 <p>A90 \$205</p> <p>Height Adjustable Breakaway Arm</p>	

BASE OPTIONS

 <p>BA1B STD</p> <p>26" Nylon Base - Black</p>	 <p>BA2B/P/S \$100</p> <p>26" Aluminum Base BA2B - Black Powder Coat BA2P - Polished BA2S - Silver Powder Coat</p>
--	--

strata lite

let strata float into your office

ALL MESH

GSA SIN # 33721

- Task, stool, conference and executive seating
- Nylon frame and base
- Mesh or upholstered seat
- Height- and depth-adjustable lumbar standard
- Warranted to 300 lbs.



CREATING STRATA LITE MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME MESH COLOR** GRADE BASE CASTERS PACKAGING OPTIONS

1 5 [] [] - Y [] - A [] [] - B F - M O 1 [] [] - B A [] [] - C [] [] [] [] [] [] [] []









**FOR UPHOLSTERED USE CODE A00 **ONLY AVAILABLE IN BLACK MESH NET

PACKAGING NOTES



CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
FAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	MESH	FEATURES	DIMENSIONS	
1535	Y1	MID-BACK SIMPLE SYNCHRO TILT	A00	615	<ul style="list-style-type: none"> • Upright tilt lock • 3:1 back-to-seat tilt ratio • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-44.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 SEAT HEIGHT W/ SEAT SLIDER: 18.0-22.5 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 47.0 LB	
			A6	750			
			A7	770			
			A8B/S	705			
			A9B/S	725			
			A10	705			
			A36	725			
			A37	745			
			SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED				
			1535	Y4			MID-BACK INTENSIVE SYNCHRO TILT
A6	840						
A7	860						
A8B/S	795						
A9B/S	815						
A10	795						
A36	815						
A37	835						
SEAT SLIDER (SS) - STANDARD							
1537	Y1	HIGH-BACK W/ HEADREST SIMPLE SYNCHRO TILT			A00	670	
			A6	805			
			A7	825			
			A8B/S	760			
			A9B/S	780			
			A10	760			
			A36	780			
			A37	800			
			SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED				
			1537	Y4	HIGH-BACK W/ HEADREST INTENSIVE SYNCHRO TILT	A00	760
A6	895						
A7	915						
A8B/S	850						
A9B/S	870						
A10	850						
A36	870						
A37	890						
SEAT SLIDER (SS) - STANDARD							



ARM OPTIONS

 <p>A6 \$135</p> <p>Height Adjustable Pivot Slide Arm</p>	 <p>A7 \$155</p> <p>Height/Width Adjustable Pivot Slide Arm</p>
 <p>A8B/S \$90</p> <p>Height Adjustable Arm - Black/Silver</p>	 <p>A9B/S \$110</p> <p>Height/Width Adjustable Arm - Black/Silver</p>
 <p>A10 \$90</p> <p>Soft Touch C-Shaped Arm</p>	 <p>A36 \$110</p> <p>Height Adjustable Pivot/ Slide Arm</p>
 <p>A37 \$130</p> <p>Height/Width Adjustable Pivot/Slide Arm</p>	 <p>A90 \$205</p> <p>Height Adjustable Breakaway Arm</p>

CASTER OPTIONS

 <p>C4 STD</p> <p>Heavy Duty Hard Wood Floor and Casters</p>
 <p>C1S C2S \$35</p> <p>C1S - Hard Floor and Carpet Casters C2S - Self-Locking Hard Floor and Carpet Casters</p>

BASE OPTIONS

 <p>BA1B STD</p> <p>26" Nylon Base - Black</p>	 <p>BA2B/P/S \$100</p> <p>26" Aluminum Base BA2B - Black Powder Coat BA2P - Polished BA2S - Silver Powder Coat</p>
--	--

ADDITIONAL OPTIONS

 <p>SS \$60</p> <p>Seat Slider 2.5" Side Paddle Activated factory installed</p>

strata lite

let strata float into your office

ALL MESH STOOLS

GSA SIN # 33721

- Task, stool, conference and executive seating
- Nylon frame and base
- Mesh or upholstered seat
- Height- and depth-adjustable lumbar standard
- Warranted to 300 lbs.



CREATING STRATA LITE MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME MESH COLOR** GRADE BASE CASTERS PACKAGING OPTIONS

1 5 [] [] - Y [] - A [] - B [] - M 0 1 [] [] - B A [] [] - C [] [] [] [] [] [] [] []

**FOR UNUSUAL USE CODE AB **NOT AVAILABLE IN BLACK MESH (M)

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

MODEL	CONTROL	DESCRIPTION	ARM	MESH	FEATURES	DIMENSIONS
1536	Y1	MID-BACK 10" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 42" high	A00 A6 A7 A8B/S A9B/S A10 A36 A37	M 740 875 895 830 850 830 850 870	<ul style="list-style-type: none"> • Upright tilt lock • 3:1 back-to-seat tilt ratio • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.5-57.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 25.0-35.0 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 52.2 LB
1538	Y1	MID-BACK 8" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 36" high	A00 A6 A7 A8B/S A9B/S A10 A36 A37	M 740 875 895 830 850 830 850 870	<ul style="list-style-type: none"> • Upright tilt lock • 3:1 back-to-seat tilt ratio • Center knob tension adjustment • 360° swivel • Pneumatic cylinder height adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 44.0-52.0 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 22.0-30.0 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 51.5 LB

ARM OPTIONS



A6
\$135

Height Adjustable Pivot Slide Arm



A7
\$155

Height/Width Adjustable Pivot Slide Arm



A8B/S
\$90

Height Adjustable Arm - Black/Silver



A9B/S
\$110

Height/Width Adjustable Arm - Black/Silver



A10
\$90

Soft Touch C-Shaped Arm



A36
\$110

Height Adjustable Pivot/Slide Arm



A37
\$130

Height/Width Adjustable Pivot/Slide Arm



A90
\$205

Height Adjustable Breakaway Arm

CASTER OPTIONS



C4
STD

Heavy Duty Hard Wood Floor and Casters



C1S
C2S
\$35

C1S - Hard Floor and Carpet Casters
C2S - Self-Locking Hard Floor and Carpet Casters

BASE OPTIONS



BA18
STD

26" Nylon Base - Black



BA2B/P/S
\$100

26" Aluminum Base
BA2B - Black Powder Coat
BA2P - Polished
BA2S - Silver Powder Coat